

AP2 INSERTS



Overview



High quality, long-lasting nozzles for all types of high pressure waterblast cleaning applications.

Characteristics

StoneAge Attack Tips are the highest quality, longest lasting nozzles available for low and medium pressure applications (up to 22k psi - 1500 bar). Flow straighteners correct turbulence, ensuring excellent jetting results.

Items

| Part Number | Description |
|--------------------|-------------------------------------|
| ST.AP2018 | AP2 insert 1/8" M NPT, d. 0, 46 mm, |
| ST.AP2020 | AP2 insert 1/8" M NPT, d. 0, 51 mm. |
| ST.AP2022 | AP2 insert 1/8" M NPT, d. 0, 56 mm. |
| ST.AP2024 | AP2 insert 1/8" M NPT, d. 0, 61 mm. |
| ST.AP2026 | AP2 insert 1/8" M NPT, d. 0, 66 mm. |
| ST.AP2029 | AP2 insert 1/8" M NPT, d. 0, 74 mm. |
| ST.AP2032 | AP2 insert 1/8" M NPT, d. 0, 81 mm. |
| ST.AP2035 | AP2 insert 1/8" M NPT, d. 0, 89 mm. |
| ST.AP2038 | AP2 insert 1/8" M NPT, d. 0, 97 mm. |
| ST.AP2042 | AP2 insert 1/8" M NPT, d. 1, 07 mm. |
| ST.AP2052 | AP2 insert 1/8" M NPT, d. 1, 32 mm. |
| ST.AP2057 | AP2 insert 1/8" M NPT, d. 1, 45 mm. |
| ST.AP2063 | AP2 insert 1/8" M NPT, d. 1, 6 mm. |
| ST.AP2069 | AP2 insert 1/8" M NPT, d. 1, 75 mm. |
| ST.AP2075 | AP2 insert 1/8" M NPT, d. 1, 91 mm. |
| ST.AP2082 | AP2 insert 1/8" M NPT, d. 2, 08 mm. |
| ST.AP2090 | AP2 insert 1/8" M NPT, d. 2, 29 mm. |
| ST.AP2098 | AP2 insert 1/8" M NPT, d. 2, 49 mm. |
| ST.AP2106 | AP2 insert 1/8" M NPT, d. 2, 69 mm. |
| ST.AP2115 | AP2 insert 1/8" M NPT, d. 2, 92 mm. |
| ST.AP2125 | AP2 insert 1/8" M NPT, d. 3, 18 mm |

GALLERY IMAGES

