




Overview

MAGREDI PLUS is a special version of this nozzle with 7 additional jets



Characteristics

The water is used for an all-around pipe cleaning, with a direct and closer effect than a conventional nozzle, increasing cleaning efficiency thanks to 75° and 90° angle of the additional jets. With the double configuration of jets PLUS version makes it possible to get 2 nozzles in 1.

Technical Specifications

Inlet	3/4" F	1" F	1" F	1"1/4 F
Ø x L (mm)	355 x 160 x 120	355 x 160 x 120	355 x 160 x 120	355 x 160 x 120
Weight (kg)	17	17	22	22
Rear Jets	9 @ 0°/5°/10°/15°/25°	9 @ 0°/5°/10°/15°/25°	9 @ 0°/5°/10°/15°/25°	9 @ 0°/5°/10°/15°/25°
Front Jets	5 @ 75°	5 @ 75°	5 @ 75°	5 @ 75°
Lateral Jets	2 @ 90°	2 @ 90°	2 @ 90°	2 @ 90°
Tipo di Inserts	TE M10 x 1	TE M10 x 1	TE M10 x 1	TE M10 x 1
Minimum Flow (lt/min)	150	150	150	150
Working DN (mm)	400-1200	400-1200	400-1200	400-1200

Items

Nozzles with carbide inserts

	Part No.	Description
	65500.872RW	3/4" MAGREDI PLUS NOZZLE, 17 KG, with carbide inserts
	65500.87RW	1" MAGREDI PLUS NOZZLE, 16 KG, with carbide inserts
	65500.870RW	1" MAGREDI PLUS NOZZLE, 22 KG, with carbide inserts
	65500.871RW	1" 1/4 MAGREDI PLUS NOZZLE, 22 KG, with carbide inserts

Nozzles with ceramic inserts

	Part No.	Description
	65500.872R	3/4" MAGREDI PLUS NOZZLE, 17 KG, with ceramic inserts
	65500.87R	1" MAGREDI PLUS NOZZLE, 16 KG, with ceramic inserts
	65500.870R	1" MAGREDI PLUS NOZZLE, 22 KG, with ceramic inserts
	65500.871R	1" 1/4 MAGREDI PLUS NOZZLE, 22 KG, with ceramic inserts

Rotating Swivels

	Part No.	Description
	5030.20A	Rotary swivel 3/4"
	5030.25A	Rotary swivel 1"
	5030.32A	Rotary swivel 1" 1/4

GALLERY IMAGES

