

ROTARY SWIVELS FOR HOSE REELS



Overview

Rotary swivels used for hose reels.

Characteristics

They can be used in industrial vehicles for waste material collection and disposal.

Technical Specifications

Thread	1/2" - M /M	3/4" - M/F	3/4" 90° - F/F	1" - M/M	1" - M/F	1" - 90° M/F	1" 1/4 - M/M	1" 1/4 - 90° M/F
Maximum Pressure (bar)	400	400	400	400	400	400	400	400
Maximum Speed (rpm)	95	64	64	48	48	48	40	40
Weight (kg)	0.76	1.46	2	2.94	1.68	3.3	3.68	-
Dimensions (mm)	100 x 50 x 50	110 x 65 x 65	123 x 65 x 65	-	120 x 68 x 68	-	-	-

Items

Part Number	Description
5040.15AM	1/2" M/M HOSE REEL STAINLESS STEEL ROTATING SWIVEL
5040.25AM	1" M/M HOSE REEL STAINLESS STEEL ROTATING SWIVEL
5040.32AM	1" 1/4 M/M HOSE REEL STAINLESS STEEL ROTATING SWIVEL
5040.20A	3/4" M/F HOSE REEL STAINLESS STEEL ROTATING SWIVEL
5040.25A	1" M/F HOSE REEL STAINLESS STEEL ROTATING SWIVEL
5041.20A	3/4" F/F HOSE REEL STAINLESS STEEL 90° ROTATING SWIVEL
5041.25A	1" M/F HOSE REEL STAINLESS STEEL 90° ROTATING SWIVEL
5041.32A	1"1/4 M/F HOSE REEL STAINLESS STEEL 90° ROTATING SWIVEL
5040.00-01	SEAL KIT FOR 1/2" HOSE REEL ROTATING SWIVEL
5040.00-02	SEAL KIT FOR 3/4" HOSE REEL ROTATING SWIVEL
5040.00-03	SEAL KIT FOR 1" HOSE REEL ROTATING SWIVEL
5040.00-04	SEAL KIT FOR 1" 1/4 HOSE REEL ROTATING SWIVEL

GALLERY IMAGES

