



Overview

Rotating nozzle with circular chains head top.



Characteristics

Thanks to the fast rotation and special carbide plates welded on the chains, roots, limestone, rust or any material on the pipe wall is easily cut away.

This nozzle is also effective for tough jobs such as removal of unsuccessful liners and patch repairs or limestone from

cast iron pipes.

SOLO is offered as a package including nozzle, 2 sets of chains and centralizers for multiple working DN.

Technical Specifications

Inlet	1/2 " F	3/4" F	1" F
Ø x L (mm)	36 x 60	55 x 83	70 x 140
Weight (kg)	0,3	1,0	2,6
Maximum Pressure (bar)	250	250	250
Flow (lt/min)	60-160	80-240	150-270
Working DN (mm)	70-100	100-150	100-250

Items

Part No.	Description
K12.SL00	SOLO 1/2", BASIC KIT ROOT CUTTER
	Kit with 1/2" F (dn35mm) root cutting nozzle with rotating head for circular chains (Cyclone type). Contents: nozzle, plastic case, set of keys
K19.SL00	SOLO 3/4", BASIC KIT ROOT CUTTER
	Supplied in a plastic case with tools and shaping for chains and centering devices (for DN 100 and/or 150), which must be ordered separately.
K25.SL00	SOLO 1", BASIC KIT ROOT CUTTER
	Kit with 1" (dn70mm) root cutting nozzle with rotating head for circular chains (Cyclone type). Contents: nozzle, plastic case, and tool kit.

GALLERY IMAGES

