


SPRAY GUNS WITH VARIABLE JET LANCE



Overview

ITEM WITH LIMITED AVAILABILITY, replaced by [High Pressure Gun with Longcast Lance, variable jet](#)

Spray guns with variable jet lance allow to adapt the water jet to the operating conditions.

They have to be chosen according to the flow and pressure specifications of the pump.

Characteristics

Through the handle it is possible to change the type of jet: straight jet with the handle oriented towards the operator, cone jet with the handle oriented outwards.

The spray guns are built in Stainless Steel and Brass, ensuring high performance and long duration. The ergonomic design reduces the effort during use, while protecting operator's hands and reducing pressure drops. The lever has a safety device to avoid unwanted operations.

It is possible to adjust the jet angle also with the gun open.

Technical Specifications

Part number	3806.500-01F
Nominal pressure (bar)	250
Max flow (lt/min)	40
Max temperature (°C)	90
Weight (kg)	2,25
Length (mm)	943
Inlet	3/8" F
Outlet	M16

Items

Part Number	Description
3806.500-01F	VARIABLE JET LANCE WITH 250 BAR GUN, 3/8" F
3806.511-01F	HIGH PRESSURE GUN WITH LONG CAST LANCE, VARIABLE JET

GALLERY IMAGES

