

SPRITZ 25/300 - HP WASHING UNIT



Overview

SPRITZ 25/300 is a cold-water high-pressure washing module designed for cleaning stormwater and/or sanitary sewer lines, with a high-pressure hose and nozzles selected according to the pump's specifications and the intended cleaning purpose (general cleaning, unclogging, removal of grease, roots, or other debris).

Characteristics

General Description

Given its size and features, this washing unit is designed to be mounted on a commercial vehicle for emergency response operations and drain pipe unclogging.

The module must be configured and integrated with the following components (see the technical data sheet for a comprehensive description):

- Storage tank, available in three versions:
 - 50-liter, included in the module's standard configuration;
 - 30-liter, which brings the module length to 925 mm;
 - 400-liter, detached from the module, mounted on a suitable metal frame with overall dimensions (WxLxH) of 1050x650x1270 mm.
- Hose reel with corresponding hoses:
 - High-pressure: designed to convey pressurized water via a flexible hose from the washing module to the nozzle
 - Low-pressure: used to fill the water storage tank to supply the high-pressure pump.
- Accessories that complete the basic equipment, such as high-pressure nozzles and personal protective equipment.

Technical Specifications

Motor	Honda Gx 690 w/electric start, air cooling , 22,1 hp, 688 cc, petrol power with 22 liters tank.
Pump	Interpump W3025 Flow 25 lt/min Maximum pressure 300 bar With brass head and ceramic plungers. Gearbox i=2,2 18,5 kW (25 hp)
Safety	By-pass valve for pressure regulation. Maximum pressure valve Speed decelerator upon bypass valve activation Water storage tank, with a valve and float switch to stop filling when the tank is full, a low-level sensor to shut off the motor when the water runs out, and a water filter at the pump inlet. Battery Cut-Off Switch Emergency button Remote control to activate/deactivate flow and stop the engine.
Dimensions	Length 830 mm (without tank) - 1250 mm (w/50 lt tank) Width 615 mm Height 875 mm
Weight	180 kg (without reel)
Frame	Made of powder-coated steel

Items

A4.JT06-11	Spritz 25/300 - HP washing unit
A4.JT06-13	Water storage tank 50 lt
3518.00	Sile 1/4" F
5526.00	Arzino 1/4" F

Optional accessories

A4.JT06-12	30-liter tank (replacing the 50-liter tank) mounted on the module
A4.JT06-14	400-liter tank (replacing the 50-liter tank) with a separate housing
6001.03-07	Column with 2 reels (with 40 meters of 3/8" high-pressure hose with 3/8" M fittings and 25 meters of 3/4" low-pressure hose)
5999.8.06-040R319	3/8" HP hose, 345 bar, 40 m long (3/8" F 90° - 3/8" M)
5999.8.06-060R319	3/8" HP hose, 345 bar, 60 m long (3/8" F 90° - 3/8" M)
5918.00	3/4" low-pressure hose for tank filling (sold by the meter)
6001.03P	Remote reel with valve and gauge (3/8" F inlet swivel)
6001.07	Compact Trolley reel with valve and gauge (3/8" F inlet swivel)
5989.06-040R29	1/4" HP hose, 345 bar, L. 40 mt (3/8" F - 1/4" M)
5989.06-060R29	1/4" HP hose, 355 bar, L. 60 mt (3/8" F - 1/4" M)
6001.06	XL Trolley reel with valve and gauge

Accessories - nozzles

75150.03	1/4" Bora
75150.02	1/4" Borino
5560.05	1/4" Raut
77531.00	1/4" Rotospin
5947.05.15B	3/16" thermoplastic hose, 350 bar, L. 15 mt (1/4" F-1/8")
5500.07	1/8" Sile
5500.07A	1/8" Sile with front jet
3801.115-02	HP spray gun
5930.00HPI	SS nipple 1/4" M/M

Accessories - Safety

9.0503-01	Foot pedal (IN 3/8" F- OUT 1/4" M)
5300.21-01	Safety plate for manholes
5993H-C134	Protective sleeve with carabiner for 3/8" hose

T.56600455920	High-pressure flexible protective hose for a spray gun
----------------------	--

A4.JT06-15	Kit for use on a cart (wheels and handles)
-------------------	--

PPE for hydrostatic jetting

**(Protection level expressed in bar/100 for
rotating jets, fan jets, and fixed jets in
accordance with Directive 89/686/EEC)**

T.51020685000-00	Helmet with visor and ear muffs (3,000 bar) (3000 bar)
-------------------------	--

T.56220255000-xx	Jacket (5/5/2) - sizes M/L/XL/XXL/2XL/3XL
-------------------------	---

T.56320255000	Trousers (5/5/2) - sizes M/L/XL/XXL/2XL/3XL
----------------------	---

T.56230255024	Apron (5/5/2) - one size
----------------------	--------------------------

T.56000255000-11	Gloves (200 bar), pair, tg.11
-------------------------	-------------------------------

T.56520255000-xx	Boots (5/5/2), pair, size 36-48
-------------------------	---------------------------------

GALLERY IMAGES

