

WARTHOG MANHOLE CLEANER



Overview



Turn your Warthog pipe cleaning tool into an effective manhole cleaner.

Characteristics

BJV and WGR heads can be fitted with radial port extensions that bring the jets as close as possible to the walls to be cleaned.

The head configuration (number and length of extensions) is at the customer's discretion based on operational requirements.

Extensions with lengths between 51 and 914 mm are available.

The advantage of using this configuration is that the jets are continuously directed at the walls, which makes it much more effective and safer than nozzles with three-dimensional rotation.

The WGC, WGA and WGR nozzles can also be used for cleaning large horizontal pipes, particularly where roots are present or where particularly aggressive cleaning against the pipe walls is required: in this case the use of the centring guide (5370.20) is mandatory and it can be useful to pull the nozzle and guide from the upstream sump by means of a rope secured to a tow hook (ST.HC090) to be fixed to the nozzle head (BJV head only).

Items

Warthog 1" Classic

Part No.	Description
75000.60M35R.SI	WG 1" NOZZLE WITH BJ 041 HEAD (EXTENSIONS AND INSERTS TO BE ORDERED SEPARATELY)
ST.BJ041P86R35	BJV R35 HEAD, 1000 BAR, 6 PORTS 1/2" NPT

WGR Magnum

Part No.	Description
ST.WGR1BSPP	WGR 1" BODY (WITHOUT HEAD)
ST.WGR040R35MH	WGR HEAD FOR MANHOLE CLEANING

Extensions and accessories

Part No.	Description
ST.AP4XXX	AP4 INSERTS 1/4" NPT
ST.SA356P8P4XX	EXTENSION 1/2" M NPT - 1/4" F NPT
ST.HC090	HD PULLING RING WITH BOLT
5370.20	EXTENSIBLE CENTRALIZER (330-10 00 MM) FOR WARTHOG NOZZLE

GALLERY IMAGES

